



## Division of Criminal Justice Services

---

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM SIGNALS, PRO-LASER III LIDAR, serial number PL17639, performed on April 24, 2019 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance/calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under  
ESRA by **Joshua Vinehout**  
on 4/30/2019 9:08 AM

---

**Joshua Vinehout**  
Supervisor of Public Safety Programs  
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

**LIDAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: North Syracuse Village Police Department  
Manufacturer: KUSTOM SIGNALS                      Model: PRO-LASER III  
Serial Number: PL17639  
Date: April 24, 2019

I hereby certify that KUSTOM SIGNALS LIDAR, model PRO-LASER III, serial number PL17639, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

<b>Scope Alignment Test</b>	<b>Realignment Performed</b>
OK	NO
<b>Zero Velocity Test</b>	<b>Speed Reading = Zero</b>
OK	YES

<b>Speed Accuracy Test</b>	<b>Test No</b>	<b>Speed Standard</b>	<b>Speed Result</b>
OK	1	20 MPH	20 MPH
	2	65 MPH	65 MPH

<b>Fixed Distance Test</b>	<b>Distance Standard</b>	<b>Distance Reading</b>
OK	40.0 Feet	40.0 Feet

<b>Pulse Repetition Test</b>	<b>Test Result</b>
OK	200.01 Hz
<b>Optical Power Output Test</b>	<b>Test Result</b>
OK	164.3 Microwatts

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified LIDAR was performed, or within a reasonable time thereafter.

*Joseph Iavarone*

Digitally signed under  
ESRA by Joseph Iavarone  
on 4/24/2019 3:25 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**

**LIDAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency: North Syracuse Village Police Department**  
**Manufacturer: KUSTOM SIGNALS**  
**Model: PRO-LASER III**  
**Serial Number: PL17639**  
**Date: April 24, 2019**

**1. General Appearance and condition of this device -----: OK**

**2. Initialization -----: OK**

**3. Check visual displays/indicators -----: OK**

**4. Diagnostics -----: OK**



**5. Record any repairs made to this instrument and list services provided:  
VERIFIED CALIBRATION**

*Joseph Iavarone*

Digitally signed under  
ESRA by Joseph Iavarone  
on 4/24/2019 3:25 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**